

NEW

24.5" Flat 16:9 FHD 144Hz&240Hz monitor

Model 1# : 25S2G FHD@144Hz,IPS

1*Type C 15W+2*HDMI+1*DP+1*Audio

Model 2# : 25S2H FHD@240Hz,IPS

1*Type C 15W+2*HDMI+1*DP+1*Audio



Main Spec

24.5" FHD@144Hz/240Hz, Flat 16:9 IPS

3-sides Flamless

SRGB 99%

HDR 400 Ready

Brightness Typical 300nits(typ)

1Ms(MPRT), FreeSync


RGB Light effect(Blue)

Rocker stick button

Adjustable stand base: Swivel / Height/ Tilt/Pivot

VESA Compatible

Speaker(Optional)



27" Flat 16:9 FHD 144Hz&240Hz monitor

Model 1# : MF2*G FHD@144Hz,IPS
3*HDMI+1*DP+1*Audio

Model 2# : MF2*H FHD@240Hz,IPS
3*HDMI+1*DP+1*Audio



Main Spec


27" FHD 144Hz/240Hz, Flat 16:9 IPS
sRGB99%
Brightness Typical 300nits
1Ms(MPRT)
Adjustable stand base: Swivel / Height/ Tilt/ Pilot
RGB Lighting(Red)
Freesync
PIP/PBP(MF2*H)
Speaker(Optional)



1.E adjustable stand base



2.D adjustable stand base



Logo projector (Optional)

27" Curved R1500 16:9 FHD 240Hz monitor

Model 1# : 27CSH FHD@240Hz,VA
3*HDMI+1*DP+1*Audio

Model 2# : 27GSH FHD@240Hz,VA
3*HDMI+1*DP+1*Audio



Main Spec

27" FHD 240Hz, Curved R1500 16:9 VA
sRGB96%

Brightness Typical 300nits

Freesync

1Ms(MPRT)

C-Adjustable standbase:Height/ Tilt

G-Adjustable stand base: Swivel / Height/ Tilt

RGB Light effect(Red)

PIP/PBP


Speaker(Optional)



1.ID C-style



2.ID G-style



27" Curved R1500 16:9 QHD 144Hz monitor

Model 1# : 27CSR QHD@144Hz,VA
3*HDMI+1*DP+1*Audio

Model 2# : 27GSR QHD@144Hz,VA
3*HDMI+1*DP+1*Audio



Main Spec

27" QHD 144Hz, Curved R1500 16:9 VA
sRGB96%

HDR 400 Ready

Brightness Typical 300nits

Freesync

1Ms(MPRT)

C-Adjustable standbase:Height/ Tilt

G-Adjustable stand base: Swivel / Height/ Tilt

RGB Light effect(Red)

PIP/PBP


Speaker(Optional)



1.ID C-style



2.ID G-style



NEW

27" Flat 16:9 QHD 180Hz monitor

Model 1# : MF2ER / 27S2R

QHD@180Hz,Sharp-IPS

1*Type C 65W+3*HDMI+1*DP+1*Audio




Main Spec


27" QHD@180Hz, Flat 16:9 IPS
3-sides Flamless
NTSC 100%
Display Colors:1.07B
HDR 400 Ready
Brightness Typical HDR:400(TYP) , 350(MIN)
1Ms(OD), FreeSync
RGB Light effect(Blue)
Rocker stick button(On S2 ID)
Adjustable stand base: Swivel / Height/ Tilt/
VESA Compatible
Speaker



1.ID F2-style



1.ID S2-style




NEW

**27" Flat 16:9 QHD
165Hz monitor**

Model 1# : 27A2QR

Color : Black / White



Main Spec

27" QHD@165Hz, Flat 16:9 IPS
3-sides Flamless
NTSC 100%
Display Colors:1.07B
HDR 400 Ready
Brightness Typical HDR:400(TYP) , 350(MIN)
1Ms(OD), FreeSync
RGB Light effect(Blue)
2HDMI+1DP+Type-C 65W+ USB-B(3.0)
+USB-A(3.0)+SPK
Adjustable stand base: Swivel / Height/ Tilt/
VESA Compatible

27" Flat 16:9 UHD(4K) 144Hz monitor

Model 1# : MF2*V UHD@144Hz,IPS
2*HDMI+2*DP+1*Audio+Type-C



Main Spec


27" UHD 144Hz, Flat 16:9 IPS
sRGB99%
HDR Ready
Brightness Typical 350nits
1Ms(MPRT)
Adjustable stand base: Swivel / Height/
Tilt/Pivot
RGB Lighting(Red)
PIP/PBP
Freesync
Speaker



Model: MF2EV



Model: MF2DV



NEW

27" Flat UHD 75Hz Professional monitor

Model # : 27B4U

For Professional Display



Main Spec

27" UHD/4K 60Hz, 1.07B color,
AUO IPS, FLAT

HDR 600 +QLED, Full lamination technology

24 zones local dimming

Brightness Typical 400nits , HDR on 600nits

Ambient light sensor

PIP/PBP


DCI-P3 97% , sRGB100% , Adobe RGB 99%

Framless, Silver color

Adjustable stand base: Swivel / Height/ Tilt

2H (HDMI 2.0)+1DP (1.4) +1Type-c(90W)

+Audio out +1USB -B+2USB-A ,Support 90W Type-c quick charging power supply



NEW


25.7" /29" Flat 21:9
WFHD 75Hz monitor

Model # : 26B2F
29B2F



Main Spec

25.7"/29" WFHD 75Hz, Flat 21:9 IPS
3-sides frameless
HDR 400
Adobe96%
Brightness Typical 400nits
G-sensor
Freesync,PIP/PBP
Type-C 65W ,USB for software upgrade
Adjustable stand base: Swivel / Height/ Tilt/
Vertical swivel
1*Type C+ 2*HDMI+1*DP+1*Audio+ 1*USB
B+2*USB A+Speaker



NEW

34" Flat 21:9 WQHD 75Hz monitor

Model # : 34B2Q



Main Spec

34" WQHD 75Hz, Flat 21:9 IPS
3-sides frameless
HDR 400
Adobe96%
Brightness Typical 300nits
G-sensor
Freesync,PIP/PBP
Type-C 65W , USB for software upgrade
Adjustable stand base: Swivel / Height/ Tilt/
Vertical swivel
1*Type C+ 2*HDMI+1*DP+1*Audio+ 1*USB
B+2*USB A+Speaker



NEW

30" 21:9 WFHD 200Hz
monitor

Model # : 30A3M



Main Spec

29.5" WFHD 200Hz, Curved R1500 21:9 VA
3-sides frameless
HDR 400
SRGB99%
Brightness Typical 400nits
Freesync
PIP/PBP
Adjustable standbase: Swivel / Height/ Tilt
3*HDMI+1*DP+1*Audio+ Speaker



NEW


27" /32" R1000 QHD
165Hz monitor

Model # : 27A5R
32A5R



Main Spec


27"/32" QHD 165Hz, R1000 curvature
HDR 1000
24 zones local dimming
Brightness Typical 650nits , HDR on 1000nits
Ambient light sensor
PIP/PBP
MPRT 1MS
Type-C 65W , USB for software upgrade
DCI-P3 90% , sRGB99% , Adobe RGB 85%
SNB White
RGB back light effect
Adjustable stand base: Swivel / Height/ Tilt
3HDMI+ 1DP + 65W Type-c + Audio out + SPK



NEW

27" R1000 QHD 240Hz monitor

Model # : 27A5SQ



Main Spec

27" QHD 2560*1440@240Hz, R1000 curvature
HDR 1000

24 zones local dimming

Brightness Typical 650nits , HDR on 1000nits

Ambient light sensor

PIP/PBP

MPRT 1MS

Type-C 65W , USB for software upgrade

DCI-P3 90% , sRGB99% , Adobe RGB 85%

SNB White

RGB back light effect

Adjustable stand base: Swivel / Height/ Tilt

3HDMI+ 1DP + 65W Type-c 1USB A+1USB B+ Audio
out + SPK



NEW

34" R1000 WQHD 165Hz monitor

Model # : 34A5R, 21:9

3HDMI+ 1DP + 65W Type-c + Audio

Color : Black /White



Main Spec

34" WQHD 165Hz, R1000 curvature

HDR 1000

24 zones local dimming

Brightness Typical 650nits , HDR on 1000nits

Ambient light sensor

PIP/PBP

MPRT 1MS

Type-C 65W , USB for software upgrade


DCI-P3 90% , sRGB99% , Adobe RGB 85%

SNB White

RGB back light effect

Adjustable standbase: Swivel / Height/ Tilt

Speaker



34" R1500 WQHD
144Hz monitor

Model # : 34GLR/34CHR, 21:9

2HDMI+ 2DP + Audio



Main Spec

34" WQHD 144Hz, Curved R1500,21:9

HDR 400 Ready

sRGB99%

Brightness Typical 350nits

PIP/PBP

Wide color gamut

MPRT 1MS

RGB back light effect(Red)

C-Adjustable stand base: Height/ Tilt

G -Adjustable stand base: Swivel / Height/ Tilt

Speaker



34CHR



34GLR



NEW

34" Ultra- Wide 21:9 Flat Monitor

Model # : 34A2R

Color : Black / White



Main Spec

34" WQHD 3840*1440@144Hz ,Flat IPS

HDR 400 +QLED

PIP/PBP

MPRT 1MS

Type-C 65W,USB hub 4ports

3HDMI+ 1DP + 65W Type-c + USB3.0+



Audio out + SPK

Frameless White

RGB back light effect

Adaptor

Adjustable stand base: Swivel / Height/ Tilt



35" WQHD 180Hz monitor

Model # : V3GSR, 21:9
V3LLR, 21:9



Main Spec

35" WQHD @ 180HZ
AUO R1800
3-sides frameless
HDR400 ready
Brightness Typical 350cd/m2
PIP/PBP
Built-in power supply
wide color gamut
2DP+2HDMI+audio output
Adjustable Stand base: Height/ Tilt/Swivel
Vesa compatible



35" WQHD 120Hz monitor

Model # : V3LLW, 21:9
V3GSW



Main Spec

35" WQHD @ 120HZ
AUO R1800
3-sides frameless
HDR400 ready
Brightness Typical 350cd/m2
PIP/PBP
Built-in power supply
wide color gamut
2DP+2HDMI+audio output
Adjustable Stand base: Height/ Tilt/Swivel
Vesa compatible



NEW

39" R3000 16:9
QHD 165Hz monitor


Model # 39A1QR

Color: Black / White



Main Spec

38.5" QHD 165Hz , Curved R3000
HDR 400 ,350nits typical
IR controller
PIP/PBP
MPRT 1MS
Type-C 65W (optional)
2HDMI+ 2DP + Audio out + SPK
SNB White
RGB back light effect
Adjustable stand base: Swivel / Height/ Tilt



NEW

39" R3000 16:9
QHD 165Hz monitor


Model # 39S1QR

Color: Black



Main Spec

38.5" QHD 165Hz , Curved R3000
HDR 400 ,350nits typical
IR controller
PIP/PBP
MPRT 1MS
Type-C 65W (optional)
2HDMI+ 2DP + Audio out + SPK
SNB White
RGB back light effect
Fix standbase



NEW

40" Ultrawide WQHD 144Hz IPS monitor


Model # : 40A2QR 21:9

Color: Black / White
Two Stand base for option



Main Spec

40" WQHD 3440*1440@144Hz
IPS Flat, 3-sides Frameless
HDR 600
PIP/PBP
MPRT 1MS
Type-C 90W , USB for software upgrade
RGB back light effect
Adjustable stand base: Swivel / Height/ Tilt
2H+1DP+1 TYPE C+ Audio out+1USB B+2 USB A
+1 USB C



NEW


43.8" Ultra- Wide 32:9 Flat Monitor

Model # : FA2QC (white)



Main Spec

43.8" DFHD 3840*1080@120Hz ,Flat IPS
HDR 600 ,sRGB125%
16 zones local dimming
PIP/PBP
MPRT 1MS
Type-C 65W
2HDMI+ 1DP + 65W Type-c + USB3.0+
Audio out + SPK
Frameless White
RGB back light effect
Adjustable stand base: Swivel / Height/ Tilt



NEW

43.8" Ultra- Wide 32:9 Flat Monitor

Model # :44B2 (Black)



Main Spec

43.8" DFHD 3840*1080@120Hz ,Flat IPS
HDR 600 ,sRGB125%
16 zones local dimming
PIP/PBP
MPRT 1MS
Type-C 65W
2HDMI+ 1DP + 65W Type-c + USB3.0+
Audio out + SPK
Frameless White
RGB back light effect
Adjustable stand base: Swivel / Height/ Tilt



49" Ultra- Wide Monitor

Model # :
H3C*C-HQ DFHD@144HZ
H3CQR-HQ DQHD@120HZ



Main Spec

49" DFHD 3840*1080@144Hz

Frameless, Curve R1800
HDR 400 +QLED
PIP/PBP
400nits brightness ,Srgb99%
3HDMI+1DP+ Audio out+ SPK

49" DQHD 5120*1440@120Hz

Frameless, Curve R1800
HDR 400 +QLED
PIP/PBP
400nits brightness ,Srgb99%
2HDMI+2DP+ Audio out+ SPK
Adjustable stand base: Swivel / Height/ Tilt



Base ①



Base ②



Base ③Adjustable

